


# Technical Data Sheet

## Stan




### Technical description

<b>Mains voltage</b>	220 - 240 V AC, 50 - 60Hz
<b>Connection</b>	3-pole plug
<b>Protection rating</b>	IP 20
<b>Light source</b>	LED
<b>Light distribution</b>	Direct / Indirect (30% / 70%)
<b>Wiring</b>	Fix, DALI
<b>Diffuser material</b>	PC
<b>Housing material</b>	Steel
<b>Ambient temperature</b>	0 °C to +25 °C
<b>Service lifetime (L80, B10)</b>	50 000h
<b>Warranty</b>	5 years


CCT	Power consup.	Output	CRI Ra	lm / W
4000 k	105 W	13 528 lm	80+	129

### Dimensions



h 2000 mm  
d 450 mm

### Optics



■ 0°-180° ■ 90°-270°

## Product code

The technical specifications of the luminaire are determined through the combination of 4 categories, which result in a unique product code.

	Value	Code
<b>Model</b>	Stan	STAN
<b>Color temperature</b>	3000 k	830
	4000 k	840
	5000 k	850
<b>Dimming</b>	Fix	1
	DALI	2
<b>Color</b>	Black (RAL 9005)	BL
	White (RAL 9003)	WH

## Configuration example

### Stan

Luminaire with a power consumption of 105W that produce a luminous flux of 13 528. FIX,temperature of 4000k, black color

Code: **STAN 840 1 BL**